



Bollard 系缆桩

Single Cross bollard 单十字




ITEM	A(mm)	B (mm)	C(mm)	E (mm)
YD03B	30	60	80	80

Single Cross Bollard 单十字缆桩




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YD0601B	122	97	122	151
YD0602B	150	120	152	200

Single Cross Bollard 单十字缆桩




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YCS020	120	120	50	12	21
YCS021	135	135	51	12	21

Cross Bollard 单十字缆桩




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YCS030	86	97	61	14.5	5.9

Single Cross bollard 单十字




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	F(mm)
YCS010	38*1.5	98	90	10	48
YCS011	50*2	120	100	12	55
YCS012	60*2	160	115	12	62
YCS013	76*2.5	210	150	14	85
YCS014	89*2.5	250	160	14	87
YCS015	102*2.5	280	180	16	98

Single Cross bollard 单十字




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YCB03	300	200	160	160

Hot Dipped Galvanized Single-Cross Bollard
碳钢单十字




ITEM	A (mm)	C(mm)
YD03C	110	60
YD04C	140	80

Double Cross Bollard 双十字




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YCB01	180	95	65	51

Double Cross Bollard 双十字




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YCB02	400	180	120	51

Double Cross bollard 双十字




ITEM	A(mm)	B(mm)	C(mm)
YD0401B	150	60	60
YD0402B	300	100	165
YD0403B	380	115	200
YD0404B	410	140	230
YD0405B	500	170	240

Hot Dipped Galvanized Double-Cross Bollard
碳钢双十字


ITEM	A(mm)	B(mm)
YD01C	70	180
YD02C	90	235

Horn Bollard 板凳




ITEM	L(mm)	W(mm)	H(mm)
YD0501B	165	60	66
YD0502B	200	70	75
YD0503B	250	80	60
YD0504B	300	90	105

Horn Bollard 板凳



ITEM	A(mm)	B(mm)	C(mm)	D(mm)
HB01	706.3	219	260	640


Horn Bollard 板凳



ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
HB02	980	744	300	150	477
HB03	980	744	300	150	577


★ All bollards can produced accroding to customer's design . 所有系缆桩都可以根据客户的设计制作。

Aluminum cleat 铝索栓




ITEM	L(mm)	W(mm)	H(mm)
YDC0101	380	70	110
YDC0102	300	60	80
YDC0103	250	60	80

Cleat S 型索栓




ITEM	A(mm)	B(mm)	C(mm)
YD01S	260	67	114
YD02S	313	85	132

Round Tube Cleat 圆管式索栓




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDR01	292.1	38.1	88.9	25	120

Oval Tube Cleat 椭圆管式索栓




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDR02	150	19	55	120	69.5
YDR03	203.2	34	58.3	140	67.5
YDR04	250	40	70	150	84
YDR05	304.8	50	80	178	83

Surfboard Cleat 扁孔索栓




ITEM	L(mm)	W(mm)	H(mm)
YDC03	210	35	45

Cleat with threaded stud 螺纹索栓




ITEM	L(mm)	W(mm)	H(mm)
YDC04	200	60	40

Mast cleat 带底板索栓




ITEM	A (mm)	B(mm)	C(mm)
YDC0501	100	14	14
YDC0502	125	15	16
YDC0503	150	20	19
YDC0504	200	23	22
YDC0505	250	25	25

Low silhouette cleat 扁索栓




ITEM	A (mm)	B (mm)	C (mm)	D (mm)
YDC0601	180	80	30	M10
YDC0602	240	100	40	M12
YDC0603	300	120	60	M14
YDC0604	350	140	70	M16

Hollow base cleat 圓索栓




ITEM	L(mm)	W(mm)	H(mm)
YDC0701	300	70	55
YDC0702	240	65	40
YDC0703	190	50	35
YDC0704	150	40	30
YDC0705	125	40	25

Flush Cleat 抽拉索栓




ITEM	A (mm)	B(mm)	C(mm)	D(mm)
YDC0801	130	31.7	65	M6*41
YDC0802	160	35	70	M10*48
YDC0803	210	45	96	M10*66
YDC0804	260	57	121	M12*80
YDC0805	310	69	125	M12*80

Low Silhouette Cleat 扁索栓




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDC0901	125	46	25	41
YDC0902	150	56	29	42.3
YDC0903	195	62	31	49.1
YDC0904	254	64	40	57.5

Mast Cleat 索栓




ITEM	L(inch)
YDC1200	4-1/2"

Cleat 索栓




ITEM	A(mm)	B(mm)	C(mm)
YDC11	150	45	56
YDC12	203	60	84

Cleat with Threaded Stud 帶螺紋索栓




ITEM	A(mm)	B(mm)	C(mm)	D (mm)	E(mm)
YDC13	200	15	M12	63	8
YDC14	240	15	M12	81	8
YDC15	300	20	M14	100	12
YDC16	380	20	M16	138	15

Cleat with Threaded Stud 帶螺紋索栓




ITEM	A(mm)	B(mm)	C(mm)	D (mm)	E(mm)
YDC17	200	60	M12	63	8
YDC18	240	60	M12	81	8
YDC19	300	60	M14	100	12
YDC20	380	60	M16	138	15

Iron Cleat 铸铁索栓




ITEM	L(mm)	W(mm)	H(mm)
YDC0201	300	40	60
YDC0202	250	36	55
YDC0203	200	30	50
YDC0204	150	20	35

Cleat 提拉索栓




ITEM	A(mm)	B(mm)	C(mm)
YTC-01	115	41	14
YTC-02	148	61	14
YTC-03	188	81	17

Cleat 吊艇羊角




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YD110S	99	79	30.4	16*20	11

Ring Cleat 提环




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YD1101S	152.4	63.5	38.1	64

Cleat 吊艇羊角



ITEM	A(mm)	B(mm)	C(mm)	D (mm)	E(mm)
YD100S	200	24	120	60	10.5

Bow Chock 平导缆器




ITEM	A (mm)	B(mm)	C(mm)
YD0101K	121	19	23.5
YD0102K	152	23.8	26

Skeme Bow Chock 斜尖导缆器




ITEM	A (mm)	B(mm)	C(mm)
YD0201K	152.4	34	124.6
YD0202K	203.2	38	164.4
YD0203K	254	47.6	207

Skene Bow Chock 斜尖导缆器




ITEM	A(mm)	B(mm)	C(mm)
YD0301K	20	115	30
YD0302K	30	150	35

Straight chock 直导缆器




ITEM	L(mm)	W(mm)	H(mm)
YD0401K	120	25	6
YD0402K	150	30	6
YD0403K	200	40	9
YD0404K	250	45	9

Heavy duty Straight chock 重型导缆器




ITEM	L(mm)
YD0502K	196

Fairlead Roller 滑轮导缆器




ITEM	L(mm)	W(mm)	H(mm)	Rope (mm)
YDK201	205	40	55	16/22
YDK202	260	45	75	24/30

Chocks 滑轮导缆器




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDK301	230	45	67	35	36

Luff slide 滑块




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YLS01	52	21	26	4.5	16

Lug 手柄




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YL01	15	34	15	9	8

Clip 金属夹




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YC01	30	15	32	6	18

Pothook 挂钩



ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YP01	63	28	23	10	30

Chocks 导缆器



ITEM	L(mm)
YDK1900	196

Buckle Slide 皮带扣




ITEM	A(mm)	B(mm)
YBS01	60	30

Cam Buckle 皮带夹




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YBS02	60	49	38	21

Cam Buckle 皮带夹




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YBS03	50	33	27	15

Water ski tow 滑水圈




ITEM	A(mm)	B(mm)	C(mm)	D (mm)
YW011S	100	62	44	M10*60.5
YW012S	121	75.5	64	M10*80

Cleats Inox For Ropes 3/6 mm 夹绳器




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YD1011X	82	18	24	φ5.5*2
YD1012X	55	15	16.5	φ5.5*2
YD1013X	70	17	19	φ5.5*2

Cleats Inox For Ropes 3/6 mm 夹绳器




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YD2011X	47.7	14.5	18	φ5.5

Cleats Inox For Ropes 3/6 mm 夹绳器




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YD2012X	54.5	17	19	φ5.5

Connect Base 连接件底座




ITEM	A(mm)	B(mm)	C(mm)	D (mm)	E(mm)
YDS100	54	35	31.5	21.8	60

Connect Base 连接件底座




ITEM	A(mm)	B(mm)	C(mm)
YDA002	153	39	38

Stanchion 支座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDS001C	86.5	23	7	62.3	62.4

Stanchion 支座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDS002C	63	12	83	40	31.8

Stanchion 支架




ITEM	A(mm)	B(mm)	C(mm)	D (mm)	E(mm)
YDS99	58.2	68.4	28.2	22.4	6.6

Stanchion 支架




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDA001	101.5	40.2	35.6	φ5

Stanchion 支架




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDS110	66	31	22.4	5.5	1/4"-28

Stanchion 支架




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDS111	22	54	67	Φ5.5

Stanchion Base 支架




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDS112	75	72	31.7	29	3
YDS113	75	79	38.1	34.5	3

Stanchion 支架




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDS0801	22.2	35	65	Φ5.5
YDS0802	25.4	34	55.8	Φ5.5

Stanchion(Front) 船前支架




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	Degree
YDS0301	22.2	39	47.6	5.5	60°
YDS0302	25.4	41	57.1	5.5	60°

Stanchion(Center) 船中支架





ITEM	A(mm)	B(mm)	C(mm)	D(mm)	Degree
YDS0401	22.2	39	47.6	5.5	60°
YDS0402	25.4	41	57.1	5.5	60°

Stanchion(End) 船尾支架




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	Degree
YDS0501	22.2	39	47.6	5.5	60°
YDS0502	25.4	41	57.1	5.5	60°

Stanchion(End) 船尾支架



ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDS000	69	88	34	6	32

Stanchion(Center) 船中支架




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDS114	68	60	25.4	5.5

Stanchion(End) 船尾支架



ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDS115	25.4	44	67	5.5

Rail end(end-in) 栏杆支座



ITEM	A(mm)	B(mm)	C(mm)
YDR0101	110	22	Φ5.5*2

End-bottom mounted 90 栏杆支座




ITEM	A(inch)	B(mm)	C(mm)
YDR0201	7/8"	37	170
YDR0202	1"	38	170

Rail End (end-in) 栏杆支座




ITEM	A(inch)	B(mm)	L(mm)
YDR0301	7/8"	22	130

Pipe Base
栏杆座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YPB000	50	25.4	4	6

Pipe Base 栏杆座




ITEM	A(mm)	B(mm)	C(mm)	D(°)
YDP01A	54	33	70	60
YDP02A	63.7	38	77	60
YDP01B	52	33	80	90
YDP02B	53	34	81	90
YDP03B	55	32	80	90
YDP04B	59.2	38	77	90

Pipe Base 栏杆座



ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
YPB011	26	28.5	56.4	44.4	90
YPB012	26	50	70	44.4	60
YPB013	31	50	40	47	60
YPB014	31.8	80	80	48.3	90

Pipe Base 栏杆座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YPB010	90	56	26	60	6

Mast Bracket 旗杆座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YMB03	51	40	6	42.5	5.5

Mast Bracket 旗杆座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YMB01	72.4	82.5	25.4	6.5	5

Mast Bracket 旗杆座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YMB02	95	75	81	29	7

Weldable round base 可焊圓管座




ITEM	A(inch)	B(°)
YD0101A	7/8"	45
YD0101B	1"	45
YD0102A	7/8"	60
YD0102B	1"	60
YD0103A	7/8"	90
YD0103B	1"	90

Weldable Rectangular Base 可焊方管座




ITEM	A(inch)	B(°)
YD0801A	7/8"	45
YD0801B	1"	45
YD0802A	7/8"	60
YD0802B	1"	60
YD0803A	7/8"	90
YD0803B	1"	90

Rectangular Base 方管座




ITEM	A(inch)	B(°)
YD0201A	7/8"	30
YD0201B	1"	30
YD0202A	7/8"	45
YD0202B	1"	45
YD0203A	7/8"	60
YD0203B	1"	60
YD0204A	7/8"	90
YD0204B	1"	90
YD0205A	30mm	60"
YD0206A	30mm	90"

Round Base 圓管座




ITEM	A(inch)	B(°)
YD0701A	7/8"	30
YD0701B	1"	30
YD0702A	7/8"	45
YD0702B	1"	45
YD0703A	7/8"	60
YD0703B	1"	60
YD0704A	7/8"	90
YD0704B	1"	90
YD0705A	30mm	60"
YD0706A	30mm	90"

Rod Holder 魚竿座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
YDH001A	270	50.8	112	87	45

Rod Holder 魚竿座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDH002A	55	220	340	50.8	54

Rod Holder 魚竿座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDH003A	360	50.8	290	67	28

Rod Holder 鱼竿座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDH004A	98	80	41.8	5.1	9.4

Rod Holder 鱼竿座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
YDH005A	61	83.5	92	42.6	90

Rod Holder 鱼竿座




ITEM	C(inch)	D(inch)	L(inch)	W(inch)
YDH006A	1-1/2"	1-1/2"	19-1/2"	11-1/2"

Rod Holder 鱼竿座



ITEM	D(mm)	L(mm)	W(mm)
YDH007A	6	250	50

Rod Holder 鱼竿座



ITEM	L(inch)	W(inch)
YDH008A	9"	7/8"-1"
YDH008B	9"	1"-1-1/4"

Rod Holder 鱼竿座




ITEM	D(mm)	L(mm)	W(mm)
YDH009A	42	295	220
YDH009B	42	420	220

Rod Holder 鱼竿座




ITEM	D(mm)	L(mm)	W(mm)
YDH009C	50	800	220

Side-mounte Deck Hinge 天线座




ITEM	A(mm)	B(mm)	C(mm)
YDH0401	50.8	22.2	16.5

Deck hinge 90° concave base 栓式正山型座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YHD010	57.15	22.22	38.5	1/4-20	5.5*2
YHD011	57.15	25.4		1/4-20	
YHD012	57.15	22.22	38.5	6*40	5.5*2
YHD013	57.15	25.4		6*40	

Deck Hinge with Concave 栓式山型座



ITEM	B(mm)	L(mm)	H(mm)
YHD020	22	56	38
YHD021	25	60	37

Deck Hinge with Concave 销式山型座



ITEM	B(mm)	L(mm)	H(mm)
YHD030	22	56	38
YHD031	25	60	37


Deck Hinge with Concave

栓式山型座




ITEM	B(mm)	L(mm)	H(mm)
YHD040	18.5	60	37

Deck Hinge Base 销式山型座




ITEM	B(mm)	L(mm)	H(mm)
YHD050	18.5	60	36

Heavy—Deck Hinge Base 重型山型座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YHD060	21	5	27	37	54

Deck Hinge Base-60° 60 度栓式山型座



ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YHD070	61	5.4	37	8	18.5

Deck Hinge 山型座




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YHD080	61	80.6	44	5	10

Strainer 过滤器



ITEM	A(inch)	B(mm)	C(mm)	D(mm)
YDS1401	3/8"	79	94	46.4
YDS1402	1/2"	90.4	99	46
YDS1403	3/4"	104.5	106	57
YDS1404	1"	105	106.5	60
YDS1405	1-1/4"	117	103	64.4
YDS1406	1-1/2"	132.5	113	70.5
YDS1407	2"	126	154	86
YDS1408	2-1/2"	200	156	112
YDS1409	3"	290	160	135

Deck filler in steel 加油口



ITEM	TYPE	A(mm)
YDS1601	Fuel	38
YDS1602	Fuel	50
YDS1603	Diesel	38
YDS1604	Diesel	50
YDS1605	Water	38
YDS1606	Water	50
YDS1607	Waste	38
YDS1608	Waste	50
YDS1609	Gas	38
YDS1610	Gas	50

Deck filler 加油口



ITEM	A	B	C	D	E	F
YDF011-Fuel	74	60	83.4	G1-1/4"-11	6	38
YDF012-Diesel	74	60	83.4	G1-1/4"-11	6	38
YDF013-Waste	74	60	83.4	G1-1/4"-11	6	38
YDF014-Water	74	60	83.4	G1-1/4"-11	6	38
YDF015-Gas	74	60	83.4	G1-1/4"-11	6	38


ITEM	A	B	C	D	E	F
YDF011A-Fuel	86	67	87	G1-1/2"	6	51.5
YDF012A-Diesel	86	67	87	G1-1/2"	6	51.5
YDF013A-Waste	86	67	87	G1-1/2"	6	51.5
YDF014A-Water	86	67	87	G1-1/2"	6	51.5
YDF015A-Gas	86	67	87	G1-1/2"	6	51.5

Deck Filler 加油口




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
Y001-Fuel	90	3.5	80	81	50.5
Y002-Diesel	90	3.5	80	81	50.5
Y003-Waste	90	3.5	80	81	50.5
Y004-Water	90	3.5	80	81	50.5
Y005-Gas	90	3.5	80	81	50.5

Deck Filler 加油口




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDS1701- Fuel	45	45	38	73
YDS1702- Fuel	50	50	50	88
YDS1703- Diesel	45	45	38	73
YDS1704- Diesel	50	50	50	88
YDS1705- Waste	45	45	38	73
YDS1706- Waste	50	50	50	88
YDS1707- Water	45	45	38	73
YDS1708- Water	50	50	50	88
YDS1709- Gas	45	45	38	73
YDS1710- Gas	50	50	50	88

Deck Filler 加油口




ITEM	Inch	A(mm)	B(mm)	C (mm)	D(mm)
YDS1801-Petrol	1.5"	74	78	38.1	5.8
YDS1802-Gas	1.5"	74	78	38.1	5.8
YDS1803-Diesel	1.5"	74	78	38.1	5.8
YDS1804-Water	1.5"	74	78	38.1	5.8
YDS1804-Diesel	2"	82	88	50.8	5.7
YDS1805-Gas	2"	82	88	50.8	5.7
YDS1806-Water	2"	82	88	50.8	5.7

Deck Filler 加油口




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDS1901	99	33	53	58	5

Deck Filler 加油口




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDS2001	73	80.5	38	4.5	24.5

Through Hull Outlets 出水口




ITEM	A(inch)	B(mm)	C(mm)	D(mm)	E(mm)
YDT1001	3/8"	58	35.3	11.8	52.5
YDT1002	1/2"	62	39.3	15.3	58
YDT1003	3/4"	73	49	19	62
YDT1004	1"	80	54	25	71
YDT1005	1-1/4"	83	63	34	76
YDT1006	1-1/2"	85	70	38	79
YDT1007	2"	101	84	50.8	95

Through Hull Outlets With Hose Connection
加长出水口



ITEM	A	B	C	D	E	G
YDT2001	3/4"	101	47	19.5	55	23
YDT2002	1"	102	55	26	55	29
YDT2003	1-1/2"	102	70.5	39	55	43

Through Hull Outlets With Hose Connection
加长出水口


ITEM	A	B	C	D	E	G
YDT3001	1/2"	62	39	13	41	16
YDT3002	3/4"	70	50	18.7	49	23.5
YDT3003	1"	76	53.5	24.4	53	29
YDT3004	1-1/4"	80	63	32.5	54	36
YDT3005	1-1/2"	82	71.5	39	61	43

Through Hull Outlets 出水口



ITEM	A	B	C	D	E	G
YDT4001	3/8"	57.5	36	7.5	25.5	12
YDT4002	1/2"	62	38.5	11.5	33	16
YDT4003	3/4"	73.2	47	17	42	23.5
YDT4004	1"	78	55.5	23	44	29
YDT4005	1-1/4"	83	66	29	45	36
YDT4006	1-1/2"	85	70.5	33	46	43
YDT4007	2"	99.5	85	47	52	53.5

Tank Vent 漏水口



ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YTV00	82	60	37.5	φ5

Tank Vent 漏水口




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YTV01	76	60	4	31.8

Tank Vent 漏水口




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YTV02	76	99	31.8	4

Tank Vent 漏水口




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YTV03	63	16	35	6.6
YTV04	45.6	24.6	25.5	6.5

Tank Vent 漏水口




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YTV05	80	80	50.8	5.5

Tank Vent 透气口




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YTV06	67	46	66	28	16

Tank Vent 透气口




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YTV07	66	68	18*1.5	16	9

Tank Vent 透气口




ITEM	A(mm)	B(mm)	C(mm)	D(inch)
YTV08	80	65.5	46	3/4"
YTV09	104	83	62	1"

Tank Vent 透气口




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YTV10	64.5	92	16	16	5
YTV10A	52	92	25	19	—

Tank Vent 透气口




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YTV11	66	68	18*1.5	16	9

Tank Vent 透气口




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YTV12	84	25.4	18*1.5	16	12

Clamshell Vent 通风盖




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YCV01	43.3	10.5	42.4	3	0.7
YCV02	58	12.8	55.1	4.1	0.8

Deck Plate 圆舟




ITEM	A(mm)	B(mm)	C(mm)
YD081	122	80	6.2
YD082	141	105	6.2
YD083	174	133	6.2
YD084	195	162	6.2

Tope Slide 滑套




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YD07F	93	28.8	15.3	10.5	11

Tope Slide 滑套



ITEM	A(mm)	B(mm)	C(mm)
YD01P	22.2	37	29
YD02P	25.4	38	31.5
YD03P	30	48	37.5
YD04P	32	50	39

Heavy duty tope slide 重型滑套




ITEM	A(inch)	B(mm)	C(mm)
YD0101P	7/8"	40	28
YD0102P	1"	57	29.5

Fastening For Boat Corer 管夹




ITEM	Pipe(mm)
YD01F	19/22/25

Tope Slide 滑套




ITEM	A(inch)
YD02F	7/8"
YD03F	1"
YD04F	1-1/4"

Tope Slide 滑套




ITEM	A(mm)	B(mm)	C(mm)	D(inch)	E(mm)
YD08F	19	49.8	23.4	1/4"-20	6
YD09F	22.2	57	27	1/4"-20	7
YD10F	25.4	70.5	28	1/4"-20	7.3
YD11F	31.75	78	28.5	1/4"-20	8.5

Top Cap 滑帽




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YT002C	66	31.8	1/4"-28	8.2	6.3

Top Cap 滑帽




ITEM	A(mm)
YDS0201	22
YDS0202	25
YDS0203	30
YDS0204	32

Top Cap 滑帽




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YT003C	22.2	59	7	1/4"-28	6.5
YT004C	25.4	59	7	1/4"-28	6.5

Top Cap 球型滑帽




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YT005C	62.5	27	22.2	1/4"-28
YT006C	62.5	30.5	25.4	1/4"-28

Top Cap 滑帽




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YT007C	58	28	25.4	1/4"-28	10

Knuckle Joint 连接管



ITEM	A(mm)	D(mm)
YK01	38.5	39.2
YK02	22	25

Swivelling Joints 连接管



ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YSJ01	40.5	28.3	22.8	38.5	77
YSJ02	39.5	32.2	26	37.5	75.5

Tube connection 连接管




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YSJ03	73	70	23.45	52	48

Tube connection 连接管




ITEM	A(mm)	B(mm)	C(mm)
YSJ04	35.4	53	2.6
YSJ05	47.8	53	3
YSJ06	60.5	67.5	4

Tees with cable eyelet 90° 90度带缆孔三通




ITEM	L(mm)	D(mm)	W(mm)
YDT0101	22	52	52

Tees with cable eyelet 60° 60度带缆孔三通



ITEM	L(mm)	D(mm)	W(mm)
YDT0201	22	48	57

60° Tee Hand 60度三通




ITEM	A(mm)	B(mm)	C(mm)	D(°)
YDT0301	22	48	57	60
YDT0302	25	53	60	60
YDT0303	32	79	79	60

90° Tee Hand 90度三通




ITEM	A(mm)	B(mm)	C(mm)	D(°)
YDT0401	22	52	52	90
YDT0402	25	55	55	90
YDT0403	30	76	83	90

Tees 三通




ITEM	Dimension	A	B	C	D
EC301	1-1/2"	37.8	28	42	2.5
EC302	2"	48.3	37	74	2.5

Tees 三通




ITEM	Dimension	A	B	C	D
EC501	1-1/2"	37.8	28	55	2.5
EC502	2"	48.3	37	74	2.5

Tees 三通




ITEM	A(mm)	B(mm)
EC1001	75	35.4
EC1002	82	47.8

Tees 四通




ITEM	Dimension	A	B	C	D
EC101	1-1/2"	37.8	28	55	2.5
EC102	2"	48.3	37	74	2.5

Tees 四通




ITEM	A(mm)	B(mm)	C(mm)	D(°)
EC901	22.2	40	40	90
EC902	25.4	50	50	90

Cross 四通




ITEM	A(mm)	B(mm)	C(mm)	D(°)
EC2001	22.2	62	62	90
EC2002	25.4	71	71	90

Cross 四通




ITEM	A(mm)	B(mm)	C(mm)
EC3001	76	111	35.4
EC3002	83	117	47.8

Cross 四通




ITEM	A(mm)	B(mm)	C(mm)
EC4001	110	110	35.4
EC4002	118	118	47.8

Elbow Forms 弯头




ITEM	B(°)	C(inch)
YDS0901A	110	7/8"
YDS0901B	110	1"
YDS0902A	120	7/8"
YDS0902B	120	1"
YDS0902C	140	7/8"

Elbow 弯头




ITEM	A(mm)	B(°)	C(mm)	D(mm)
EC801	105	135	28.9	25.4
EC802	110	135	35.4	25.4

Elbow 弯头




ITEM	Dimension	A	B	C	D
EC201	1-1/2"	37.8	28	42	2.5
EC202	2"	48.3	37	74	2.5

Elbow 弯头




ITEM	Dimension	A	B	C	D
EC401	1-1/2"	37.8	28	42	2.5
EC402	2"	48.3	37	74	2.5

Elbow 弯头




ITEM	Dimension	A	B	C	D
EC601	1-1/2"	37.8	28	13	2.5
EC602	2"	48.3	37	20	2.5

Elbow 弯头




ITEM	A(mm)	B(mm)	C(mm)	D(°)
ED10	110	73	22.2	90
ED11	120	88	28.8	90
ED12	123	79	35.4	90
ED13	127	62	47.8	90
ED14	145	64	60.1	90

Elbow 弯头




ITEM	A(mm)	B(mm)	C(mm)	D(°)
ED20	22.2	50	50	90
ED21	25.4	51	51	90
ED22	30	58.5	58.5	90

Elbow 弯头




ITEM	A (mm)	B(mm)	C(mm)
ED30	22.2	60	60

Insert 塞头




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
ED40	95	95	38.1	34.5	25

Insert 塞头




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
ED50	112	38.1	35.6	135	25
ED51	118	50.8	48	135	25

Insert 塞头




ITEM	Dimension	A	B	C	D
EC701	1-1/2"	37.8	28	11	2.5
EC702	2"	48.3	37	15	2.5

Insert 塞头




ITEM	A(mm)	B(mm)	C(mm)
EL01	35.4	43	24
EL02	47.8	57	25.4

Bullet End Plug 子弹头




ITEM	A(mm)	B(mm)
EL03	38	20

Eccentric Latch 搭扣




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDH0301	50	110	49	40

Eccentric Latch 搭扣




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDL2301	62	30	5	37

Eccentric Latch 搭扣




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDL2302	98	27	27	4.5

Eccentric Latch 搭扣




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDL2303	62	28.5	3	4

Lift Ring 地板扣




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDH0101	38	48	4.5	2.6
YDH0102	62	44	4.5	5

Lift Ring 地板扣




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDL001R	48	38	4.5	3

Hatch Cover Hinge 舱盖铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDL003R	76	57.5	3	5	6

Lift Ring 地板扣




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDL004R	66	56	8.3	4	7

Lift Ring 地板扣




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDL005R	44	38	4.5	2

Lift Ring 地板扣




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDL006R	75	58	8	4	8.2

Lift Ring 地板扣




ITEM	A(mm)	B(mm)	C(mm)
YDL007R	51	41	3

Turning Lock Lift Handle 地板锁




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDH0201	96	76	125	10	5.3

Turning Lock Lift Handle 地板锁




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDH001T	78	66	107.5	88	5

Turning Lock Lift Handle 地板锁




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDH002T	66.67	79.37	111.12	12	5.3

Turning Lock Lift Handle 地板锁




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDH003T	89	76	84	1/2"-13

Turning Lock Lift Handle 地板锁



ITEM	A(mm)	B(mm)	C(mm)
YDH004T	82	87	60

Turning Lock Lift Handle 地板锁



ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDH005T	72	60	66	8

Turning Lock Lift Handle 地板锁




ITEM	A(mm)	B(mm)
YDH006T	61.5	36

Turning Lock Lift Handle 地板锁




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDH007T	70	58.3	62	5

Hinge 铰链




ITEM	L(mm)	W(mm)
YDG001	180	130

Hinge 铰链




ITEM	L(mm)	W(mm)
YDG002A	65	65
YDG002B	75	75
YDG002C	50	50

Hinge 铰链




ITEM	L(mm)	W(mm)
YDG003	100	100

Hinge 铰链




ITEM	L(mm)	W(mm)	W(mm)
YDG004	100	100	100

Hinge 铰链




ITEM	L(mm)	W(mm)	D(mm)
YDG005	84	40	5.5

Hinge 铰链




ITEM	L(mm)	W(mm)	D(mm)
YDG006A	100	25	φ5.5
YDG006B	146	23	φ5.5

Hinge 铰链




ITEM	L(mm)	W(mm)	D(mm)
YDG007	74	56	φ5.5

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	T(mm)
YI04	40	39.7	36	φ5	4

Hinge 铰链




ITEM	L(mm)	W(mm)	D(mm)	T(mm)
YDG010	79	40	φ5.5	2

Hinge 铰链




ITEM	L(mm)	W(mm)	D(mm)
YDG011A	56.2	38.5	φ5.5
YDG011B	74.6	38.5	φ5.5

Hinge 铰链




ITEM	L(mm)	W(mm)	D(mm)	T(mm)
YDG012	76.2	38.1	φ5	4

Hinge 铰链



ITEM	A(inch)	B(inch)	C(mm)	D(mm)
YDH011	4"	4"	4.5	φ5

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDH031	2-1/2"	2-1/2"	1.5	φ5
YDH032	2-1/2"	2-1/2"	2	φ5
YDH033	3"	3"	2	φ5

Hinge 铰链




ITEM	A(inch)	L(inch)	C(mm)	D(mm)
YDH041	2-1/2"	2-1/2"	1.5	φ5
YDH042	2-1/2"	2-1/2"	2	φ5
YDH043	3"	3"	2	φ5

Deck Hinge Plate 甲板铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDG060A	74.6	47.6	32	φ7*4

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDG070A	38	38	1.5	Φ4.5
YDG070B	51	51	1.5	Φ5
YDG070C	64	64	1.5	Φ5.5

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDG093	95	75	2	Φ6.7

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDG080A	38	38	4.5	Φ5.5
YDG080B	51	51	4	Φ5.5
YDG080C	64	64	3	Φ7

Hinge 铰链




ITEM	A (mm)	B(mm)	C(mm)	D(mm)	E(mm)
Y105	56	30	22.5	5	5.4

Hinge 铰链



ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
Y106	79.5	89.5	58	7	Φ8

Hinge 铰链




ITEM	A(mm)	B (mm)	C(mm)	D (mm)	E(mm)
Y107	144.6	64	4	99	Φ7

Hinge 铰链



ITEM	A(mm)	B(mm)	C(mm)	D(mm)
Y108	75	38	3.5	Φ5.5

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDG094	127	37	2	Φ5

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDG095	202	69	5	Φ10.5

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)
Y109	220	78	5

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
Y110	121	39.5	3	31	6.2

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	E(mm)
Y111	80	63	3	4

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
H001	83.5	65	4.5	φ5	φ10

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
H002	127	59	4	5.7	9

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)
H003	66	75	3

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)
H004	30	54	3

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)
H005	40	40	3

Hinge 弧面铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YI02	99.95	61.2	19.05	6

Hinge 弧面铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YI03	38.1	20	20	3	8-32

Hinge 弧面铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
H006	80	40	3.5	6	50

Hinge 弧面铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
H007	103	65	4	6	20

Hinge 弧面铰链



ITEM	D(mm)	L(mm)	W(mm)	T(mm)
YD701H	φ5.5	40	48	4

Hinge 铰链




ITEM	D(mm)	L(mm)	W(mm)	T(mm)
YD16H	φ5.3	75	65	4

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YD7262	71	65	4.8	φ6	65

Hinge 铰链




ITEM	D(mm)	L(mm)	W(mm)	T(mm)
YD012A	Φ5.1	44	46	4

Hinge 铰链




ITEM	D(mm)	L(mm)	W(mm)	T(mm)
YD151H	Φ5.1	53	30	4

Hinge 铰链



ITEM	D(mm)	A(mm)	B(mm)	C(mm)	E(mm)
YD7140	Φ6	70	40	4	65

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDG051A	122.5	50	2.8	Φ6

Hinge 铰链




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDG096	64.7	25	2	Φ6	Φ3.5

Hinge 铰链





ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YI21	112.4	40	3.2	8.5	6.2
YI22	132.5	40	3.2	8.5	6.2

Lock 插销




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDG098	93.5	39	3.4	5

Lock 插销




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
HL01	78	19	26	5

Handle 把手




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
HD21	148.5	34.5	48.5	105	10.4

Handle 把手




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
HD31	96	10.5	19.6	4.5	79.5
HD32	134	14.2	28	4.5	114
HD33	160.3	16	22	5.5	147
HD34	195.5	18	25	5.5	176

Handle 把手



ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
HD41	127	55	14	17.5	25

Handle 把手




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
HD51-12"	304.8	280	6M	25	16-35

Handrail 扶手




ITEM	A(mm)	B(mm)	C(mm)
HD01	40	120	12
HD02	71.5	113.5	12.5

Pad Eye 骆驼背




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YP001E	40	13	20	4

Pad Eye 骆驼背




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YP002E	44	15	16	5.7	6
YP003E	35	12.5	14.5	5	4.5
YP004E	34	11.5	14	4	4
YP005E	33	10.5	14	4	4.5

Pad Eye 骆驼背




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YP006E	97	29.4	23.7	6	5

Pad Eye 骆驼背




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YP008E	48.5	13	14.5	4	5
YP009E	48.5	13	20	4	5.5
YP010E	48.5	13	14	5	4

Square Eye Plate 门鼻子




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YE001S	35	30	19	14	4
YE002S	40	35	26	18	5
YE003S	50	40	33	20	6

Square Eye Plate 门鼻子




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YE004S	84	44	30	24	5

Square Eye Plate 门鼻子



ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YE005S	19	5	24	80	50
YE006S	22	5.5	28	90	55
YE007S	25	6	34	100	62

Square Eye Plate 门鼻子




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YE008S	16	5	24	75	22
YE009S	19	5.5	28	88	32
YE010S	22	6	34	100	36

Steering Wheel 方向盘




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
SW01	195	20	12	35

Steering Wheel 方向盘



ITEM	A(mm)	B(mm)	C(mm)	D(mm)
SW02	720	22	12	55
SW03	510	22	12	55
SW04	375	22	12	55

Steering Wheel 方向盘




ITEM	A(mm)	B(mm)	C(mm)	D(°)
SW05	300	25	35	90

Ladder 梯子




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(°)
LA01	330	210	22	100	95

Ladder 梯子




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
LA02	600	275	280	120

Ladder 梯子




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
LA03	875	280	275	123

Four Telescopic Ladder 梯子




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
LA04	1160	255	285	120

Connection 油箱接头



ITEM	A(mm)	B(mm)	C(mm)	D(mm)
CO01-1-1/2"	53.6	38.1	101	68

Connection 接头



ITEM	A(inch)	B(mm)	C(mm)	D(mm)	E(mm)
CO02	3/4"	30	43	27	30
CO03	1"	36	43	26	36
CO04	1-1/4"	51	59	44	44
CO05	1-1/4"	59	61	46	52.5

Female Hose Connector 内丝水管接头



ITEM	Thread(inch)	Hose adapter size(mm)
HC001	3/8"	15
HC002	1/2"	15
HC003	1/2"	20
HC004	3/4"	20
HC005	3/4"	25
HC006	1"	25
HC007	1"	30
HC008	1-1/4"	35
HC009	1-1/4"	40
HC010	1-1/2"	45
HC011	2"	50

Male Hose Connector 外丝水管接头



ITEM	Thread(inch)	Hose adapter size(mm)
HC200	3/8"	12
HC201	3/8"	15
HC202	1/2"	15
HC203	1/2"	20
HC204	3/4"	20
HC205	3/4"	25
HC206	1"	25
HC207	1"	30
HC208	1-1/4"	35
HC209	1-1/4"	40
HC210	1-1/2"	45
HC211	2"	50
HC212	2"	60
HC213	2-1/2"	70
HC214	3"	78

Pipe Caps 管帽



ITEM	Thread(inch)
PC100	3/8"
PC101	1/2"
PC102	3/4"
PC103	1"
PC104	1-1/4"
PC105	1-1/2"
PC106	2"

Hex Pipe Reducing Coupling 六角管接头



ITEM	Thread(inch)
RC001	3/8"×1/4"
RC002	1/2"×3/8"
RC003	3/4"×1/2"
RC004	1"×3/4"
RC005	1-1/4"×1"
RC006	1-1/2"×1/4"
RC007	2"×1-1/2"
RC008	1-1/2"×1-1/4"
RC009	3"×2-1/2"

Pipe Coupling 管接头



ITEM	Thread(inch)
PC001	3/8"
PC002	1/2"
PC003	3/4"
PC004	1"
PC005	1-1/4"
PC006	1-1/2"
PC007	2"

90° Pipe Elbows 90 度管弯头



ITEM	Thread(inch)
PL001	3/8"
PL002	1/2"
PL003	3/4"
PL004	1"
PL005	1-1/4"
PL006	1-1/2"
PL007	2"

45° Pipe Elbows 45 度管弯头



ITEM	Thread(inch)
PL201	3/8"
PL202	1/2"
PL203	3/4"
PL204	1"
PL205	1-1/4"
PL206	1-1/2"
PL207	2"

90° Pipe Elbows 90 度管弯头



ITEM	Thread(inch)
PL100	3/8"
PL101	1/2"
PL102	3/4"
PL103	1"
PL104	1-1/4"
PL105	1-1/2"
PL106	2"

Hose Adapter 90° 管接头



ITEM	Thread(inch)	Hose adapter size(mm)
HA001	1/2"	20
HA002	3/4"	25
HA003	1"	30
HA004	1-1/4"	38

Double Pipe Nipples 六角外牙接头




ITEM	Thread(inch)
DP001	3/8"
DP002	1/2"
DP003	3/4"
DP004	1"
DP005	1-1/4"
DP006	1-1/2"
DP007	2"

Valves 球阀



ITEM	Thread(inch)
VA01	3/8"
VA02	1/2"
VA03	3/4"
VA04	1"
VA05	1-1/4"
VA06	1-1/2"
VA07	2"
VA08	2-1/2"
VA09	3"


Automatic drain valve 自动排水阀



ITEM	A(mm)	B(mm)	C(mm)	H(mm)
VA10	91	65	50	84


Shackles 卸扣

EYE BOLT DIN580 吊环螺丝




ITEM	D1(mm)	H(mm)	D2(mm)
YB0101	6	28	15
YB0102	8	36	20
YB0103	10	45	25
YB0104	12	54	30
YB0105	14	59	33
YB0106	16	63	35
YB0107	18	68	38
YB0108	20	72	40
YB0109	22	81	45
YB0110	24	90	50
YB0112	26	100	55
YB0113	30	108	60
YB0114	32	117	65
YB0115	36	128	70
YB0116	42	140	78
YB0117	48	155	89

EYE BOLT DIN582 吊环螺母




ITEM	D(mm)	H(mm)	D2(mm)
YB0201	6	28	16
YB0202	8	36	20
YB0203	10	45	25
YB0204	12	53	30
YB0205	14	58	32
YB0206	16	62	35
YB0207	18	67	38
YB0208	20	71	40
YB0209	22	82	45
YB0210	24	90	50
YB0211	26	99	55
YB0212	30	109	60

EYE BOLT JIS1168 吊环螺丝




ITEM	A(mm)	B(mm)	C(mm)
YB0301	6	30	16
YB0302	8	39.3	20
YB0303	10	48.5	25
YB0304	12	61	30
YB0305	16	72	35
YB0306	20	86	40
YB0307	24	111	50

EYE BOLT JIS1169 吊环螺母



ITEM	D(mm)	H(mm)	D2(mm)
YB0401	6	30	16
YB0402	8	39.3	20
YB0403	10	48.5	25
YB0404	12	61	30
YB0405	16	72	35
YB0406	20	86	40
YB0407	22	100	45
YB0408	24	111	50

SNAP HOOK SPRING 挂钩




ITEM	E(mm)	L(mm)	W(mm)
Y0101N	10	50	25
Y0102N	11	70	32
Y0103N	15	100	50

CASTING SPRING SNAP 挂钩




ITEM	A(inch)	L(mm)	D(inch)
Y021N	1/2	50	0.15
Y022N	5/8	83	0.18
Y023N	3/4	94	0.25
Y024N	7/8	113	0.28

FIXED SNAP SHACKLE 卸扣




ITEM	A(mm)	B(mm)	L(mm)
Y031N	12	9	52
Y032N	16	12	66
Y033N	22	16	96

SWIVEL SNAP SHACLE WITH JAW 卸扣




ITEM	A(mm)	L(mm)	B(mm)
Y041N	12.7	73	12.7
Y042N	15.7	89	12.7
Y043N	25.4	102	22.2

SWIVEL SNAP SHACLE WITH EYE 卸扣




ITEM	A(mm)	B(mm)	L(mm)
Y051N	12	12	70
Y052N	16	16	87
Y053N	22	22	128

PELICAN HOOK 卸扣




ITEM	A(mm)	B(mm)	L(mm)
Y061N	13	M6	76
Y062N	16	M8	100
Y063N	24	M10	148

SNAP HOOK 挂钩




ITEM	A(mm)	B(mm)	C(mm)
Y071N	50	34	22

SHACKLE 卸扣



ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
Y081N	93	54	16	7.5	36

TRIGGER SNAP HOOK WITH SWIVEL EYE 挂钩




ITEM	D(mm)	H(mm)	L(mm)
YS5001	66	14	12

HOOK 挂钩




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
Y091N	79	61	5	16.3

SWIVEL EYE SNAP 挂钩



ITEM	A(inch)	B(inch)	C(inch)	D(inch)
Y911N	0.63"	3.37"	0.18"	0.43"
Y912N	0.75"	4.00"	0.25"	0.43"
Y913N	0.88"	4.62"	0.28"	0.50"

SWIVEL EYE SNAP 挂钩



ITEM	A(inch)	B(inch)	C(inch)	D(inch)
Y921N	0.48"	2.73"	0.32"	0.28"
Y922N	0.55"	3.16"	0.38"	0.36"
Y923N	0.70"	3.68"	0.45"	0.41"
Y924N	0.79"	3.60"	0.37"	0.43"
Y925N	0.85"	3.80"	0.37"	0.43"

U-BOLT U 型栓




ITEM	A(mm)	B(mm)	C(mm)
Y1301U	64	60	4
Y1302U	60	55	5
Y1303U	60	54	6
Y1304U	70	64	6
Y1305U	90	84	6
Y1306U	64	56	8
Y1307U	80	72	8
Y1308U	100	92	8
Y1309U	90	80	10
Y1310U	130	120	10
Y1311U	150	138	12

U-BOLT U 型栓




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
Y1401U	130	M10	35	95

U BOLT WITH LATCH U 型栓




ITEM	D1(mm)	L1(mm)	L2(mm)
Y1501U	M4	30	25
Y1502U	M5	48	30
Y1503U	M6	42	35
Y1504U	M8	40	40
Y1505U	M8	52	48
Y1506U	M10	80	55
Y1507U	M12	85	65

U BOLT U 型栓




ITEM	A(mm)	B(mm)	C(mm)
Y1601U	90	M10	41

LONG U BOLT 长 U 型栓




ITEM	D(mm)	D1(mm)	H(mm)
Y1701U	8	22	155

U BOLT U 型栓




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
Y1801U	116	89	20	17	48

SWIVEL EYE EYE 圈圈式链接转环




ITEM	D(mm)	B(mm)	L(mm)
YS1001	3	10	46
YS1002	4	11	51
YS1003	5	13	59
YS1004	6	14	65
YS1005	8	19	92
YS1006	10	22	117
YS1007	13	32	152
YS1008	16	38	187
YS1009	18	40	202
YS1010	20	41	216
YS1011	22	47	235
YS1012	25	64	279

SWIVEL EYE JAW 圈叉式链接转环




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YS2001	6	12.5	10.8	65.5
YS2002	8	15.5	15.5	90.5
YS2003	10	18.8	22	115.5
YS2004	12	25	28	150
YS2005	16	31	34	184
YS2006	20	36	39	221

SWIEL JAW JAW 叉叉式链接转环




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YS3001	6	12.5	10.8	65.5
YS3002	8	15.5	90.5	90.5
YS3003	10	18.8	115.5	115.5
YS3004	12	25	150	150
YS3005	16	31	184	184
YS3006	18	37.5	215.5	215.5

US TYPE SWIVEL 美式转环




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YS4001	32	17.2	18.8	15.5	28
YS4002	41	20	25	18.8	34.5
YS4003	50	23.5	31	25	44
YS4004	63	33	37.5	31.25	56
YS4005	75	39	44	27.5	69
YS4006	88	44	50	44	81

TRIGGER SNAP HOOK WITH SWIVEL EYE 挂钩



ITEM	A(mm)	C(mm)
Y0101L	6	60
Y0102L	8	80

QUICK LINK 316SS 快速链接环



ITEM	D1(mm)	D2(mm)	L(mm)
Y0201L	26.5	6	72
Y0202L	33.5	8	90
Y0203L	40.5	10	105
Y0204L	47.5	12	122

QUICK LINK 316SS 快速链接环



ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YS0301L	6	72	26.5	16
YS0302L	8	90	33.5	18
YS0303L	10	105	40.5	20
YS0304L	12	122	47.5	23

SPRING HOOK WITH EYELET 316SS 弹簧钩



ITEM	D(mm)	L(mm)	A(mm)	A1(mm)	E(mm)
YS301K	4	40	5	6.6	7
YS302K	5	50	6	8	8
YS303K	6	60	8	13	9
YS304K	7	70	8	10	9
YS305K	8	80	8	13	9
YS306K	10	100	10	16	12
YS307K	11	120	11	18	16
YS308K	12	140	16	21	19
YS309K	13	160	20	21	43

SPRING HOOK 弹簧钩



ITEM	D(mm)	L(mm)	A(mm)	A1(mm)	E(mm)
YS401K	4	40	5	6.6	7
YS402K	5	50	6	8	8
YS403K	6	60	8	13	9
YS404K	7	80	8	10	9
YS405K	8	100	8	13	9
YS406K	10	120	10	16	12
YS407K	11	140	11	18	16
YS408K	12	160	16	21	19

SPRING HOOK 弹簧钩



ITEM	A(mm)	B(mm)	C(mm)	D(mm)	KLL(kg)	KT(kg)
YS501K	50	6.5	7	4.8	50	0.019
YS502K	60	7.5	8	5.8	70	0.032
YS503K	70	9	8	6.8	100	0.049
YS504K	80	10	9	7.8	125	0.072
YS505K	90	11	10	8.8	140	0.099
YS506K	100	13	12	9.8	200	0.142
YS507K	120	15	16	10.8	250	0.198
YS508K	140	18	19	11.8	300	0.272
YS509K	160	20	25	12.8	350	0.381

SNAP HOOK EGG TYPE 简易弹簧钩



ITEM	A(mm)	B(mm)	C(mm)
YS601K	7	9.75	60
YS602K	11	12.5	80
YS603K	12.5	14.8	100
YS604K	15.8	21	120

AMERICAN TYPE HOSE CLAMP 美式卡箍




ITEM	A(mm)	B(mm)	C(mm)
YC101P	10-16	10	0.63
YC102P	13-19	10	0.63
YC103P	16-25	10	0.63
YC104P	18-29	10	0.63
YC105P	18-32	10	0.63
YC106P	21-38	10	0.63
YC107P	21-44	10	0.63
YC108P	37-51	10	0.63
YC109P	33-57	10	0.63
YC110P	40-64	10	0.63
YC111P	46-70	10	0.63


S HOOK S 型挂钩



ITEM	D(mm)	L(mm)	S(mm)	W(mm)
YC201P	3	25	4	9
YC202P	4	32	6	12
YC203P	5	36	7	15
YC204P	6	45	8	16
YC205P	8	65	12	23

WIRE ROPE EXYRA HEAVY DUTY U.S. TYPE
重型美式套环


ITEM	Size(inch)	A(inch)	B(inch)	C(inch)	D(inch)
Y7000T	3/16"	0.21"	0.75"	1.37"	0.06"
Y7001T	1/4"	0.28"	0.87"	1.62"	0.07"
Y7002T	5/16"	0.34"	1.06"	1.87"	0.08"
Y7003T	3/8"	0.43"	1.12"	2.00"	0.11"
Y7004T	7/16"	0.47"	1.25"	2.38"	0.12"
Y7005T	1/2"	0.56"	1.50"	2.50"	0.15"
Y7006T	9/16"	0.59"	1.50"	2.50"	0.15"
Y7007T	5/8"	0.68"	1.75"	3.00"	0.18"
Y7008T	3/4"	0.81"	2.00"	3.75"	0.22"
Y7009T	7/8"	0.93"	2.25"	4.00"	0.22"
Y7010T	1"	1.12"	2.50"	4.37"	0.25"

WIRE ROPE THIMBLE COMMERCIAL U.S. TYPE
美式套环

ITEM	Size(inch)	A(inch)	B(inch)	C(inch)	D(inch)
Y8000T	1/8"	0.16"	0.69"	1.31"	0.05"
Y8001T	3/16"	0.22"	0.69"	1.31"	0.05"
Y8002T	1/4"	0.28"	0.69"	1.31"	0.05"
Y8003T	5/16"	0.34"	0.81"	1.50"	0.05"
Y8004T	3/8"	0.41"	0.94"	1.63"	0.06"
Y8005T	1/2"	0.53"	1.13"	1.88"	0.08"
Y8006T	5/8"	0.66"	1.38"	2.25"	0.13"
Y8007T	3/4"	0.78"	1.63"	2.50"	0.14"
Y8008T	7/8"	0.94"	1.88"	3.50"	0.16"
Y8009T	1"	1.06"	2.50"	4.25"	0.16"
Y8010T	1 1/8"	1.32"	2.75"	4.50"	0.22"

WIRE ROPE THIMBLE COMMERCIAL EUROPEAN


欧式套环



ITEM	Size(mm)	A(mm)	B(mm)	C(mm)	D(mm)
Y9000T	2	2	8	14	1.00
Y9001T	3	3	10	16	1.00
Y9002T	4	4	11	19	1.00
Y9003T	5	5.6	13.5	23.5	1.00
Y9004T	6	6.6	15	25	1.25
Y9005T	7	7.8	16	28	1.25
Y9006T	8	9	18	32	1.50
Y9007T	10	11	23	37	1.50
Y9008T	12	14	27	44	2.00
Y9009T	14	15	34	55	2.50
Y9010T	16	17	35	63	2.50
Y9011T	18	19	40	69	3.00
Y9012T	20	22	46	76.6	4.00


WIRE ROPE THIMBLE COMMERCIAL ITALIAN

意式套环




ITEM	Size(mm)	A(mm)	B(mm)	C(mm)	D(mm)
Y10000T	2	2	7	10	1.00
Y10001T	2.5	2.5	8	14	1.00
Y10002T	3	3	10	17	1.00
Y10003T	4	4	11	18	1.00
Y10004T	5	5.6	13	20	1.20
Y10005T	6	6.5	15	25	1.20
Y10006T	8	9	18	33	1.50
Y10007T	10	11	23	41	2.00
Y10008T	12	14	27	48	2.00
Y10009T	14	15	34	53	2.50
Y10010T	16	17	36	57	3.00
Y10011T	18	19	40	67	3.00
Y10012T	20	22	45	75	4.00
Y10013T	22	24	52	84	4.00
Y10014T	24	26	56	96	5.00
Y10015T	28	30	65	115	6.00

EYE BOLT 吊环螺丝




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YB0501	62	13.5	ø6	M8

EYE BOLT 吊环螺丝



ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YB0601	62	13.5	ø6	M8


BOLT BOW SHACKLE 弓型卸扣



ITEM	A(inch)	B(inch)	C(inch)	D(inch)
YD1401	3/16"	1/4"	0.38"	0.88"
YD1402	1/4"	5/16"	0.47"	1.13"
YD1403	5/16"	3/8"	0.53"	1.22"
YD1404	3/8"	7/16"	0.66"	1.44"
YD1405	7/16"	1/2"	0.75"	1.69"
YD1406	1/2"	5/8"	0.81"	1.88"
YD1407	5/8"	3/4"	1.06"	2.38"
YD1408	3/4"	7/8"	1.25"	2.81"
YD1409	7/8"	1"	1.44"	3.31"
YD1410	1"	1-1/8"	1.69"	3.75"


EUROPEAN COMMERCIAL TWISTED SHACKLE

扭体卸扣




ITEM	A(mm)	D1(mm)	D2(mm)	L(mm)
YD1501	8	4	3	26
YD1502	11	5	4	37
YD1503	13	6	5	42
YD1504	16	8	7	56
YD1505	20	10	9	70
YD1506	26	12	11	85

BOW SHACKLE 弓型卸扣



ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YD1601	4	4	8	14
YD1602	5	5	10	18
YD1603	6	6	13	25
YD1604	8	8	16	32
YD1605	10	10	19	38
YD1607	12	12	25	51
YD1608	16	16	32	64
YD1609	19	19	38	76


LONG D SHACKLE 长 D 型卸扣




ITEM	A(mm)	D(mm)	L(mm)
YD1701	9	4	30
YD1702	12	5	38
YD1703	13	6	44
YD1704	17	8	58
YD1705	22	10	73
YD1706	25	12	79
YD1707	29	14	104
YD1708	35	16	150

D SHACLE

D 型卸扣




ITEM	A(mm)	D(mm)	L(mm)
YD1801	9	4	16
YD1802	12	5	18
YD1803	13	6	22
YD1804	17	8	28
YD1805	22	10	35
YD1806	28	12	60
YD1807	29	14	60
YD1808	32	16	67
YD1809	37	18	75
YD1810	40	20	77

US TYPE
D SHACKLE
美式 D 型卸扣

ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YD1901	5	6	10	19
YD1902	6	8	12	22
YD903	8	10	14	26
YD1904	10	11	17	32
YD1905	11	12	19	37
YD1906	12	16	20	41

D RING

D 型环




ITEM	A(mm)	B(mm)	C(mm)
YD061R	3	18	25
YD062R	4	17	25
YD063R	4	25	30
YD064R	4.5	30	31
YD065R	5	33.5	50
YD066R	5	12	34
YD067R	5	12	34
YD068R	8	45	47.5

D RING
D 型环




ITEM	A(mm)	B(mm)	C(mm)
YD071R	60	7	52
YD072R	40	6	33
YD073R	30	4	29

WELD D RING 焊接 D 型环




ITEM	A(mm)	D(mm)	L(mm)
YD081R	3	18	25
YD082R	4	17	25
YD083R	4	25	30
YD084R	4.5	30	31
YD085R	5	33.5	50
YD086R	5	12	34
YD087R	5	12	34
YD088R	8	45	47.5

Dee Ring D 型环




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YD091R	57	30	5	Ø5.8

Dee Ring D 型环




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YS100R	6	33	52	48	5.2

Triangle Ring 三角环




A	L1(mm)	L2(mm)
YD071R	30	30
YD072R	50	50
YD073R	50	50

C RING C 型环




ITEM	A(mm)	B(mm)	L(mm)	L1(mm)
YD2101	8	17.5	20	30
YD2102	9	21	36	36
YD2103	12	28	48	48
YD2104	15	35	60	60
YD2105	20	46	78	78
YD2106	24	56	96	96

ROUND RING
圆环




Item	A(mm)	L(mm)
YD2110	3	25
YD2111	4	25
YD2112	4	30
YD2113	4	30
YD2114	5	30
YD2115	5	40
YD2116	5	50
YD2117	6	30
YD2118	6	40
YD2119	6	50
YD2120	6	60
YD2121	7	35
YD2122	8	40
YD2123	8	50

CONNECTION CHAIN LINK 链扣




ITEM	A(mm)	B(mm)	D(mm)
YD2201	17.5	8.6	5
YD2202	21	11	6
YD2203	24	11.8	8
YD2204	30.5	14.5	10
YD2205	33	17	11
YD2206	42	5619	13
YD2207	47.3	24	16
YD2208	51.5	28	19
YD2209	60	32	22
YD2210	66	25	25

DOUBLE HOOK 双头钩




ITEM	C(mm)	L(mm)
YD2301	7.5	65
YD2302	8.5	76
YD2303	9.5	90
YD2304	9.5	100
YD2305	12.00	118

SINGLE HOOK 单头钩




ITEM	A(mm)	D(mm)	C(mm)
YD2401	10	53	7
YD2402	12	67	7
YD2403	12	76	8
YD2404	16	82	10
YD2405	19	91	10
YD2406	25	94	10
YD2407	28	107	12
YD2408	32	113	12

SWIVEL SNAP HOOK 万向钩




ITEM	A(mm)	B(mm)	D(mm)
YD2501	17.70	69	10
YD2502	21.00	85	13
YD2503	20.90	99	15.5
YD2504	20.80	117.5	20.5

TURNBUCKLE,TYPE HOOK -EYE 开体花篮




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
Y100T	5	90	172	10	9
Y101T	6	100	190	11	10
Y102T	8	115	216	12.7	11
Y103T	10	152	273	13	13
Y104T	12	152	305	18	16
Y105T	14	152	327	20	16
Y106T	16	152	342	22	16
Y107T	18	152	369	23.5	20
Y108T	20	152	394	25	24

TURNBUCKLE,TYPE HOOK-HOOK 开体花篮




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
Y200T	5	90	172	9	9
Y201T	6	100	190	10	10
Y202T	8	114	216	12	11
Y203T	10	152	273	13	13
Y204T	12	152	305	16	16

TURNBUCKLE TYPE EYE-EYE 开体花篮




ITEM	D1(mm)	D(mm)	L(mm)	L1(mm)
Y300T	5	8	70	54
Y301T	6	100	68	65
Y302T	8	13	120	120
Y303T	10	16	150	94
Y304T	12	18	195	165

TURNBUCKLE OPEN BODY JAW-JAW 开体花篮



ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
Y400T	5	130	180	4.5	3
Y401T	6	140	190	5.5	4
Y402T	8	150	210	6.5	5
Y403T	10	180	250	8.5	6
Y404T	12	215	295	10.5	8
Y405T	14	240	330	12	10
Y406T	16	270	370	14	12
Y407T	20	295	410	16	14


TURNBUCKLE WELDED CLOSED BODY JAW-JAW
封闭式开体花篮



ITEM	D(mm)	A(mm)	H(mm)	L1(mm)
Y500T	5	6.5	10	195
Y501T	6	7.5	10	230
Y502T	8	11	11	255
Y503T	9	12	14	300
Y504T	12	14	20	380
Y505T	12	15	22	415
Y506T	16	17	26	480
Y507T	19	20	30	520

TURNBUCKLE TERMINAL JAW/WIRE ROPE

封闭式叉杆花篮




ITEM	A(mm)	L1(mm)	L2(mm)	D(mm)
Y600T	5	80	155	6.5
Y601T	6	95	175	7.5
Y602T	8	105	205	11
Y603T	10	125	230	12
Y604T	12	150	285	15

RIGGING SCREW JAW/JAW 开体花篮




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
Y610T	160-252	36.6	15.5	9	13.5

TURNBUCKLE DIN1480 Eye/Eye 开体花篮




ITEM	A(inch)	B(inch)	C(inch)	D(inch)
Y620T	1/4"	4"	7.50"	0.45"
Y621T	5/16"	4.5"	8.50"	0.50"
Y622T	3/8"	6"	10.75"	0.51"
Y623T	1/2"	6"	12.00"	0.71"
Y624T	5/8"	6"	13.50"	0.87"
Y625T	3/4"	6"	13.50"	0.98"
Y626T	1"	6"	19.00"	1.35"
Y627T	1"	12"	24.00"	1.35"
Y628T	1-1/4"	12"	24.00"	1.75"

TURNBUCKLE U.S. TYPE 美式叉开体花篮




ITEM	A(inch)	B(inch)	C(inch)	D(inch)	E(inch)
Y630T	1/4"	4"	7.5"	0.20"	0.45"
Y631T	5/16"	4.5"	8.5"	0.25"	0.51"
Y632T	3/8"	6"	10.75"	0.30"	0.54"
Y633T	1/2"	6"	12"	0.37"	0.63"
Y634T	5/8"	6"	13.50"	0.50"	0.82"
Y635T	3/4"	6"	15.50"	0.62"	1.03"
Y636T	1"	6"	19"	0.75"	1.23"
Y637T	1"	12"	24"	0.75"	1.23"
Y638T	1-1/4"	12"	24"	1.00"	1.80"

TURNBUCKLE U.S. TYPE 美式圈叉开体花篮




ITEM	A(inch)	B(inch)	C(inch)	D(inch)	E(inch)
Y640T	1/4"	4"	7.50"	0.45"	0.45"
Y641T	5/16"	4.5"	8.50"	0.50"	0.51"
Y642T	3/8"	6"	10.75"	0.51"	0.54"
Y643T	1/2"	6"	12.00"	0.71"	0.63"
Y644T	5/8"	6"	13.50"	0.87"	0.82"
Y645T	3/4"	6"	15.50"	0.98"	1.03"
Y646T	1"	6"	19.00"	1.35"	1.23"
Y647T	1"	12"	24.00"	1.35"	1.23"
Y648T	1-1/4"	12"	24.00"	1.75"	1.80"

TURNBUCKLE U.S. TYPE 美式封闭叉叉花兰




ITEM	A(inch)	B(inch)	C(inch)	D(inch)	E(inch)
Y650T	3/16"	3.16"	5.20"	0.25"	0.20"
Y651T	1/4"	3.72"	6.50"	0.32"	0.24"
Y652T	5/16"	4.20"	8.00"	0.47"	0.31"
Y653T	3/8"	4.87"	9.50"	0.51"	0.35"
Y654T	1/2"	5.75"	10.50"	0.53"	0.47"

WIRE CONNECTION 栏杆绳接头




ITEM	A(inch)	B(inch)	C(inch)	D(inch)
Y660T	1/16"	0.28"	0.20"	2.28"
Y661T	3/32"	0.28"	0.20"	2.28"
Y662T	1/8"	0.28"	0.20"	2.56"
Y663T	5/32"	0.35"	0.24"	2.87"
Y664T	3/16"	0.43"	0.32"	3.30"
Y665T	7/32"	0.47"	0.37"	3.74"
Y666T	1/4"	0.51"	0.43"	4.17"
Y667T	9/32"	0.55"	0.47"	4.60"
Y668T	5/16"	0.55"	0.47"	5.12"
Y669T	3/8"	0.71"	0.55"	5.94"

WIRE ROPE SWAGE STUD WITH NUT 接线器




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
Y701T	Φ3	7	5	65
Y702T	Φ4	9	6	73
Y703T	Φ5	11	8	84

TURNBUCKLE BODY 丝套



ITEM	D1(mm)	D2(mm)	L(mm)
Y800T	6	11	95
Y801T	8	13	105
Y802T	10	17	125
Y803T	12	21	150
Y804T	14	21	165

WAGE STUD WITH NUT 接线器




ITEM	A(mm)	B(mm)	C(mm)
Y8981	8	5	90
Y8982	10	6	110
Y8983	12	8	126

SWAGE STUD 接线器




ITEM	A(mm)	B(mm)
YDG101	86	M5
YDG102	100	M6
YDG103	117	M8
YDG104	130	M10
YDG105	162	M12
YDG106	180	M14
YDG107	195	M16
YDG108	230	M18

SWAGE EYE 接线器



ITEM	A(mm)
YDG401	2.5
YDG402	3
YDG403	4
YDG404	5
YDG405	6
YDG406	7
YDG407	8
YDG408	10


EYE SCREW 连接螺丝



ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YDG501	2.5	3	5.6	49
YDG502	3	5.3	6.4	64
YDG503	4	6.4	8	73
YDG504	5	6	10	85
YDG505	6	9	12.7	100
YDG507	8	12.7	16	120
YDG508	10	16	18	146

REMOVABLE PIN WITH RING AND STRING

带钢丝绳销子




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YDG601	38.1	6.35	25.4	127	1.3

SIMPLEX WIRE ROPE CLAMP 卡座




ITEM	D1(mm)	B(mm)	H(mm)	L(mm)
YS101X	M4	12	14	15
YS102X	M4	14	14	18
YS103X	M5	18	17	20
YS104X	M5	20	17	25
YS105X	M6	24	23	30
YS106X	M7	27	25	33
YS107X	M8	30	27	36
YS108X	M10	35	32	45

DUPLEX WIRE ROPE CLAMP 卡座




ITEM	D(mm)	B(mm)	H(mm)	L(mm)
YS201X	M4	12	14	30
YS202X	M4	14	14	36
YS203X	M5	18	17	40
YS204X	M5	20	17	50
YS205X	M6	24	23	60
YS206X	M7	27	25	66
YS207X	M8	30	27	72
YS208X	M10	35	32	90

U.S WIRE ROPE CLIP 日式卡头




ITEM	WIRE	A(mm)	D1(mm)	L(mm)
YS301X	1/2"	60	12.7	25.4
YS302X	5/8"	64	14.2	32
YS303X	3/4"	72	15.8	37
YS304X	1"	88	19	46

WIRE ROPE CLIP DIN741 卡头




ITEM	ROPE(mm)	A(mm)	D1(mm)	L(mm)	H(mm)
YS401X	4	22	M4	12	10
YS402X	5	23	M5	13	10
YS403X	6	26	M5	15	11
YS404X	8	30	M6	19	15
YS405X	10	34	M8	22	17
YS406X	12	40	M10	30	21
YS407X	16	50	M12	33	26
YS408X	19	54	M12	38	30
YS409X	22	61	M14	44	34
YS410X	25	65	M14	45	37

US TYPE WIRE ROPE CLIPS 美式模锻卡头



ITEM	A	B	C	D	E	G	H
YS501X	3/16	18	11	12	10	20	23
YS502X	1/4	24	14	15	12	23	29
YS503X	5/16	26	15	19	16	30	36
YS504X	3/8	35	19	22	18	33	43
YS505X	7/16	38	19	25	23	41	49
YS506X	1/2	47	25	30	26	46	58
YS507X	1/2	47	25	30	28	48	58
YS508X	9/16	57	32	33	31	52	63
YS509X	9/16	60	32	33	34	52	63
YS510X	5/8	70	36	38	35	57	72
YS511X	3/4	79	41	44	40	62	80
YS512X	3/4	89	46	47	45	66	88
YS513X	3/4	98	51	51	48	71	91
YS514X	7/8	108	54	59	56	80	105
YS515X	7/8	118	59	60	59	80	106
YS516X	7/8	125	60	66	62	87	113
YS517X	1	135	60	70	68	92	121
YS518X	1-1/8	149	70	78	73	95	133
YS519X	1-1/4	165	76	84	86	113	148
YS520X	1-1/4	181	84	98	97	114	160
YS521X	1-1/4	197	86	105	108	114	164
YS522X	1-1/4	211	89	111	127	127	171
YS523X	1-1/2	233	98	121	133	175	192


TWIN SWIVEL BLOCK 柔型双滑轮



ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YB601K	25	12	15	80
YB602K	32	12	15	93
YB603K	50	14	20	127

SINGLE SWIVEL PULLEY WITH RING


带半圆环单滑轮



ITEM	A(mm)	B(mm)	D(mm)	WI(mm)
YB301K	15	11	60	0.035
YB302K	20	13	73	0.075
YB303K	25	15	85	0.150
YB304K	32	15	95	0.250
YB305K	50	20	127	0.400


DOUBLE SWIVEL PULLEY WITH RING

带圆环双滑轮



ITEM	A(mm)	B(mm)	L(mm)	WI(mm)
YB401K	25	14.5	101	0.350
YB402K	32	14.5	113	0.375
YB403K	50	20.5	148	0.625

E CLEAT 滑轮导绳器




ITEM	A(mm)	B(mm)	C(mm)
YB501K	158	4	10

SWIVEL BLOCK WITH DOUBLEPULLEY 双滑轮




ITEM	A(mm)	L(mm)	D(mm)
YB001K	15	83	25.4
YB002K	16	98	32
YB003K	21	127	51

PULLEY 犁形单滑轮




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YB101K	25.4	6.	15	71
YB102K	32	8	16	96
YB103K	51	10	21	127

FLAT SWIVEL EYE PULLEY 方形单滑轮




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YB201K	127	21	51	10
YB202K	171	25	76	12
YB203K	203	25	100	16

SHOULDER EYE BOLT 吊环螺母




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YD401B	150	112	M20	Φ8	22

LIFE SAVING RING 救生环




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YD501B	30	41.5	95	5	M8
YD502B	35	40.5	102	5	M8

DOCK RING(CARBON STEEL) 码头环




ITEM	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
YD601B	8	64	7.5	43	90

US TYPE SHOULDER BOLT 吊环螺母




ITEM	A(mm)	B(mm)	C(mm)	D(mm)
YD701B	0.25"	1.5"	2.00"	0.50"
YD702B	0.25"	2.25"	4.00"	0.50"
YD703B	0.31"	1.50"	2.25"	0.62"
YD704B	0.31"	2.50"	4.50"	0.62"
YD705B	0.38"	1.25"	2.50"	0.75"
YD706B	0.38"	2.25"	4.50"	0.75"
YD707B	0.50"	1.50"	3.25"	1.00"
YD708B	0.50"	3.00"	6.00"	1.00"
YD709B	0.63"	2.00"	4.00"	1.25"
YD710B	0.63"	3.00"	6.00"	1.25"
YD711B	0.75"	2.00"	4.50"	1.50"
YD712B	0.75"	3.00"	6.00"	1.50"
YD713B	0.88"	2.50"	5.00"	1.75"

EYE BOLT WITH RING AND NUT 吊环螺丝



ITEM	D(mm)	L1(mm)	D(mm)
YD801B	4	35	8
YD802B	5	26	10
YD803B	5	38	10
YD804B	6	32	13
YD805B	6	64	13
YD806B	8	38	16
YD807B	10	38	19
YD808B	10	76	19
YD809B	15	102	25

WELD EYE BOLT WITH RING AND NUT 吊环螺丝



ITEM	L1(mm)	D(mm)	D1(mm)
B4401	35	4	4
B4402	41	5	5
B4403	52	6	6
B4404	63	8	8
B4405	72	10	10
B4406	95	12	12
B4407	125	15	15
YD708B	0.50"	3.00"	1.00"
YD709B	0.63"	2.00"	1.25"
YD710B	0.63"	3.00"	1.25"
YD711B	0.75"	2.00"	1.50"
YD712B	0.75"	3.00"	1.50"
YD713B	0.88"	2.50"	1.75"

SOLAR PANEL 太阳能板



ITEM	Specification
YD-5M	5 Watts Ref
YD-20M	5 Watts Ref
YD-50M	50 Watts Ref
YD-105M	105 Watts Ref
YD-195M	195 Watts Ref
YD-245M	245 Watts Ref

Windlass selection guide (windlass, anchor, bow roller, anchor chain)**选型指导 (锚机, 锚, 锚支架, 锚链)**

Anchor Weight 锚重	5-10kg	9-15kg	15-25kg	25-50kg	30-60kg	50-80kg	70-150kg	100-250kg
Windlass 锚机	6mm	6-8mm	8mm	10mm	12mm	12.5mm	12.5-14mm	14-16mm
Bow Roller 锚支架	Y02 90102 YD15 YD16	90103 Y03 YD18 90109A	90103 Y03 YD25 90109B	90104 Y04 90107	90105 Y05	YD9000A 90109C YD120	YD9000B 90109C	YD9000B 90109C
Windlass 锚机	YD411 YD411H	YD511 YD511H	YD611 YD611H	YD711 YD711H	YD1011 YD1011H	YDG-12.5	YDG-12.5 YDG-14	YDG-14 YDG-16
Anchor Connector 锚连接器	YD904A YD902A YD901A	YD904B YD905B YD902A	YD904B YD905B	YD902B YD903B	YD904C	YD904C		



WE BEAT WITH BEST FOR YOU

Concentration creates fame



CERTIFICATE

CERTIFICATE



new young-star

www.yd-metal.com 86-546-8618928



HAIPU MARINE EQUIPMENT CO.,LTD / NEW YOUNG-STAR METAL CO.,LTD

Add: Niuzhuang Industrial Zone, Dongying, Shandong , China

TEL:086-546-8618928

FAX: 086-546-8616758

Http:www.yd-metal.com

E-mail: sales@yd-metal.com

Zip code:257000